



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/731,421

12/09/2003

Mohan Krishnan

279.650US1

3925

21186

7590

09/21/2009

SCHWEGMAN, LUNDBERG & WOESSNER, P.A.

P.O. BOX 2938

MINNEAPOLIS, MN 55402

EXAMINER

STOKLOSA, JOSEPH A

ART UNIT

PAPER NUMBER

3762

NOTIFICATION DATE

DELIVERY MODE

09/21/2009

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspto@slwip.com

request@slwip.com

***Response to Arguments***

1. Applicant's arguments filed 9/8/2009 have been fully considered but they are not persuasive.
2. Applicant argues that neither reference discusses "a lead body adapted such that a layer of blood cells is formed on the outer surface when exposed to a bloodstream." Examiner respectfully disagrees. Examiner considers Helland to teach the microspheres allowing a layer of blood cells to form as blood passes through the pores created by the microspheres (e.g. Col. 6, line 16).
3. Further, since the microsphere textured surface as taught by Helland is of the same material and size as applicant's claimed textured surface, one would expect the system as taught by Thoren in view of Helland to produce the same layer of blood cells when exposed to a bloodstream.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JOSEPH STOKLOSA whose telephone number is (571)272-1213. The examiner can normally be reached on Monday-Friday 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on 571-272-4955. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3762

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/George R Evanisko/  
Primary Examiner, Art Unit 3762

Joseph Stoklosa  
Examiner  
Art Unit 3762

/Joseph Stoklosa/  
Examiner, Art Unit 3762  
9/14/2009